



PACKING	INNER	MASTER
/	pcs	pcs
<b>Blister</b>	<b>6</b>	<b>48</b>



## TECHNICAL DATA

Power supply	220V AC
Switch	YES
Plug	Type Italy tripolar 16A
Main socket	Type Italy tripolar 16A/10A
Maximum load	3600W
Insulation class	II
Country of origin	CHINA
Material	PLASTIC - PC
Warranty	2 YEARS
Width (mm)	54
Depth (mm)	71
Height (mm)	102
Net weight (Kg)	0.141

## DESCRIPTION

The Velamp mini daily programmer is simple to use: it will allow you to control (switch on and off) any connected household appliance. Programming is simple: the total cycle is 24 hours, divided into 30-minute blocks. Child protection to prevent the introduction of foreign objects. Maximum load 16A, 3600W.

## LOGISTICS DATA

Packing type	Blister
Pack length (mm)	80
Pack width (mm)	100
Pack height (mm)	200
Packed product weight (kg)	0.250
Inner width (cm)	55
Inner length (cm)	27
Inner height (cm)	11
Quantity in inner	6
Gross weight inner (kg)	1.500
ITF INNER	18003910006406
Master length (cm)	46
Master width (cm)	55
Master height (cm)	25
Quantity in master	48
Master gross weight (kg)	12.000

## LOGISTICS DATA

ITF MASTER	28003910006403
How many pieces on 80x120 pallet (pz)	864
INTRASTAT Code	91070000
DEEE	0.02
Country of origin	CHINA

