



PACKING	INNER	MASTER
	pcs	pcs
Colour Box	4	16



TECHNICAL DATA

Power supply	SOLAR
Power supply provided	YES
Type of power supply provided	SOLAR PANEL
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3,7
Battery capacity (mAh)	2000
Batteries provided	(INCLUDED)
Power battery (Wh)	7.4
Battery class	9
Battery/battery weight (kg)	0.045
Charging time (h)	8
Maximum autonomy (h)	35
Lighting source	SMD LED
Lighting power (W)	4
Lumen	500
Light colour	4000K
Light beam	DIFFUSE
Beam angle (°)	90°
Detection angle (°)	120°
Detector operation time	20 SECONDS
Switch	YES
IP Protection	IP65
Country of origin	CHINA
Material	PLASTIC - PC
Standards	UN3481
Warranty	2 YEARS
Width (mm)	210
Depth (mm)	110
Height (mm)	180
Net weight (Kg)	0.550

DESCRIPTION

Solar LED wall light made of UV-resistant polycarbonate and ABS; contemporary and extremely refined design; resistant to shock and atmospheric agents; the electronics are particularly resistant to water. Operation: The lamp charges during the day using solar radiation. It turns on automatically in the evening. 2 lighting modes: 1) Always on: The lamp turns on automatically at dusk and maintains a constant brightness of 50%. 2) Sensor mode: The lamp automatically turns on at night at maximum brightness as soon as motion is detected within a distance of 6 meters. It then dims to 3% brightness after 20 seconds of no motion. The lamp features latest-generation SMD LEDs with a high-performance diffuser: the light is uniform; 4000K light: neither too warm nor too cold. Equipped with a 5.5V 2.4W monocrystalline solar panel and a 2000mAh Li-Ion battery; can be fixed with dowels; battery life: up to 35 hours depending on the charge received during the day and the chosen lighting mode. Dimensions: 140mm x 115mm x 211mm; easy to attach using two dowels.

LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	125
Pack width (mm)	215
Pack height (mm)	150
Packed product weight (kg)	0.660
Inner width (cm)	47
Inner length (cm)	45
Inner height (cm)	18
Quantity in inner	4
Gross weight inner (kg)	3.100
ITF INNER	18003910110363
Master length (cm)	56
Master width (cm)	47
Master height (cm)	38
Quantity in master	16
Master gross weight (kg)	13.400
ITF MASTER	28003910110360
How many pieces on 80x120 pallet (pz)	128
INTRASTAT Code	94055000
DEEE	0.11
ECOLOGIC SCALES 2025	MLUMI030000
Country of origin	CHINA

