



PACKING 	INNER pcs	MASTER pcs
Colour Box	6	6



## TECHNICAL DATA

Power supply	SOLAR
Power supply provided	YES
Type of power supply provided	SOLAR PANEL
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3,7
Battery capacity (mAh)	2200
Batteries provided	(INCLUDED)
Power battery (Wh)	8.14
Battery class	9
Battery/battery weight (kg)	0.047
Maximum autonomy (h)	8
Lighting source	SMD LED
Lighting power (W)	6
Lumen	600
Light colour	4000K
Light beam	DIFFUSE
Beam angle (°)	180°
Detection angle (°)	120°
Detector operation time	8 SECONDS
Switch	YES
IP Protection	IP44
Insulation class	III
Country of origin	CHINA
Material	PLASTIC + ALUMINIUM
Standards	UN3481
Warranty	2 YEARS
Width (mm)	160
Depth (mm)	160
Height (mm)	450
Net weight (Kg)	0.753

## DESCRIPTION

Brushed steel solar LED floor lamp; contemporary and refined design; shock and weather resistant; the electronics are particularly water resistant. Operation: The lamp recharges during the day using solar radiation. 3 modes: 1) Always on: The light automatically turns on at sunset for 8 hours. 20 lumens continuous: The lamp is then used as a streetlight; it will automatically turn off at dawn. 2) Mixed mode: The light automatically turns on at sunset: 20 lumens continuous; in addition, the motion detector activates: 400 lumens for 8 seconds if it detects motion; it will automatically turn off at dawn. 3) Detection only mode: The lamp will turn on for 8 seconds at 600 lumens if it detects motion in the covered area; it functions as both a courtesy light and a security light. The lamp features latest-generation SMD LEDs with a high-performance diffuser: the light is uniform; 4000K light: not too warm nor too cold. Equipped with a 6V 0.3A monocrystalline solar panel and a 2200mAh Li-Ion battery; it can be fixed with wall plugs or using the convenient peg provided; battery life: up to 8 hours depending on the charge received during the day. Dimensions: 45cm high and 16cm in diameter.

## LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	170
Pack width (mm)	170
Pack height (mm)	460
Packed product weight (kg)	1.058
Inner length (cm)	53
Inner height (cm)	50
Quantity in inner	6
Gross weight inner (kg)	5.020
ITF INNER	18003910106717
Quantity in master	6
How many pieces on 80x120 pallet (pz)	72
INTRASTAT Code	94055000
DEEE	0.11
ECOLOGIC SCALES 2025	MLUMI030000
Country of origin	CHINA

