



4000K



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour Box</b>	<b>4</b>	<b>16</b>



## TECHNICAL DATA

Power supply	SOLAR
Power supply provided	YES
Type of power supply provided	SOLAR PANEL
Batteries provided	(INCLUDED)
Battery type	18650
Battery capacity (mAh)	3000
Stack technology	LITHIUM-ION
Charging time (h)	8
Battery/battery weight (kg)	0.084
Maximum autonomy (h)	24
Lighting source	SMD LED
Lighting power (W)	5
Lumen	500
Light beam	DIFFUSE
Beam angle (°)	120°
Detection angle (°)	120°
Detector operation time	20 SECONDS
Scope (m)	10
Material	PLASTIC - PC
Switch	YES
IP Protection	IP65
Light colour	4000K
Rated voltage (V)	3,7
Warranty	2 YEARS
Width (mm)	220
Depth (mm)	150
Height (mm)	30
Net weight (Kg)	0.650

## DESCRIPTION

**ULTRA BRIGHT:** The 5W solar spotlight features 30 SMD LEDs that provide ultra-bright 500 lumens illumination. The solar panel is integrated into the floodlight: compact and easy to install without annoying cables. Can be placed, worn or of course fixed to the wall with classic dowels. The 3000 mAh large capacity lithium battery guarantees long battery life even for days without sunshine. Intelligent charging technology: The integrated solar panel converts sunlight into electricity with high efficiency (2.3 W monocrystalline). The latest generation charging system makes the solar panel rechargeable even on cloudy or rainy days. Lighting guaranteed 365 days a year. Easy to use: the spot charges during the day and turns on automatically at night. 2 operating modes: with motion sensor or always on. Versatile outdoor lighting: the spotlight was designed to stay outdoors. It is resistant to water (IP65 certified), UV and atmospheric agents (durable durable polycarbonate). The road light has been working since -15° to 50cm, withstands extreme weather conditions, such as crowds, rain, snow. Ideal for garden, patio, garage, square, parking lot and company etc. Easy to Install: This outdoor solar light is easy to install. It is not necessary to carry an electric cable, to make entrenchments etc... is completely wireless. And it's also a great saving: 0 euros in invoice! can be fixed to the wall: the recommended installation height is about 2-4 meters.

<b>Packing type</b>	Colour Box
<b>Pack length (mm)</b>	160
<b>Pack width (mm)</b>	240
<b>Pack height (mm)</b>	40
<b>Packed product weight (kg)</b>	13.500
<b>Inner width (cm)</b>	39
<b>Inner length (cm)</b>	25
<b>Inner height (cm)</b>	19
<b>Quantity in inner</b>	4
<b>Gross weight inner (kg)</b>	3.200
<b>ITF INNER</b>	18003910110387
<b>Master length (cm)</b>	53
<b>Master width (cm)</b>	39
<b>Master height (cm)</b>	21
<b>Quantity in master</b>	16
<b>Master gross weight (kg)</b>	13.500
<b>ITF MASTER</b>	28003910110384
<b>How many pieces on 80x120 pallet (pz)</b>	336
<b>INTRASTAT Code</b>	94055000
<b>DEEE</b>	0.11
<b>Country of origin</b>	CHINA

