



PACKING	INNER	MASTER
	pcs	pcs
Colour Box	1	8



TECHNICAL DATA


Power supply	SOLAR
Type of power supply provided	SOLAR PANEL
Battery type	32700
Stack technology	LITHIUM-ION
Rated voltage (V)	6,4
Battery capacity (mAh)	6000
Batteries provided	(INCLUDED)
Power battery (Wh)	38.4
Battery class	9
Battery/battery weight (kg)	0.295
Charging time (h)	8
Maximum autonomy (h)	12
Lighting source	SMD LED
Lighting power (W)	30
Lumen	4800
Light colour	4000K
Scope (m)	12
Light beam	DIFFUSE
Beam angle (°)	120°
Detection angle (°)	120°
Detector operation time	60 SECONDS
Cable length (meters)	5
Switch	YES
IP Protection	IP65
Insulation class	III
Country of origin	CHINA
Material	PLASTIC - PC
Standards	UN3481
Warranty	2 YEARS
Width (mm)	200
Depth (mm)	191
Height (mm)	49
Net weight (Kg)	1.923

DESCRIPTION

Extremely bright: Thanks to the use of latest-generation SMD LEDs, the CUBE solar lamp reaches 4800 lumens. It is a perfect security light for illuminating a passageway, an entrance, etc. 2 operating modes: 1) Constant light mode: the lamp turns on automatically at night (you can adjust the time and brightness) 2) Motion sensor mode: the lamp turns on automatically at night. It turns on at maximum brightness when motion is detected, then switches to a lower brightness after 60 seconds without motion. Energy-saving: The solar lamp with motion detector is charged by a solar panel that receives sunlight... all without an electric bill. The solar panel and the projector are separate and connected by a 5-meter cable: this allows you to place the panel where it will receive the most sunlight, and the spotlight under the roof, on the wall, indoors... wherever you like. Easy installation: simply attach the spotlight to the wall (adjustable bracket) and connect it to the solar panel using the waterproof connector. Installation is complete! Waterproof and durable: With IP65 (water resistant) certification, this solar light is suitable for any weather. Its extremely durable polycarbonate body and 12.5W solar panel are made of ultra-resistant plastic. The included replaceable battery (6.4Ah 32700 Li-Ion) provides up to 60 hours of light. Functional 4000K light: not too cold, not too warm. Non-glare opalized diffuser. Comes with a remote control to program the lamp.

LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	75
Pack width (mm)	260
Pack height (mm)	360
Packed product weight (kg)	2.181
Inner length (cm)	54
Inner height (cm)	38
Quantity in inner	1
Gross weight inner (kg)	18.400
ITF INNER	18003910112084
Quantity in master	8
How many pieces on 80x120 pallet (pz)	128
INTRASTAT Code	94055000
DEEE	0.21
ECOLOGIC SCALES 2025	MLUMIO30000
Country of origin	CHINA



Solar Charging

