



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour box</b>	<b>4</b>	<b>4</b>



## TECHNICAL DATA

Name	APOLUX SPH250B
Power supply	220V AC
Power supply provided	NO
Lighting source	E27 BULB
Lighting power (W)	Max 60
Lamp included	(NOT INCLUDED)
Attachment	E27
Switch	NO
IP Protection	IP44
Insulation class	II
Color	OPAL
Country of origin	CHINA
Material	PLASTIC - PMMA
Warranty	2 YEARS
Width (mm)	250
Depth (mm)	250
Height (mm)	250
Net weight (Kg)	0.433

## DESCRIPTION

IP44 outdoor sphere, diameter 250 mm. Compatible with LED bulbs up to 60W; E27 socket; bulb not included; 360° diffusion. Material: PMMA; PMMA is a polymer that is highly resistant to both impact and the passage of time. It connects directly to the mains voltage. Velamp offers you many compatible accessories for assembling your garden spheres.

## LOGISTICS DATA

Packing type	Colour box
Pack length (mm)	260
Pack width (mm)	260
Pack height (mm)	270
Packed product weight (kg)	0.673
Inner length (cm)	55
Inner height (cm)	55
Quantity in inner	4
Gross weight inner (kg)	3.500
ITF INNER	18003910115733
Quantity in master	4

## LOGISTICS DATA

How many pieces on 80x120 pallet (pz)	72
INTRASTAT Code	94051140
DEEE	0.08
ECOLOGIC SCALES 2025	MLUMI020000
Country of origin	CHINA



**E27**

**Ø 25 cm**

**IP44**

**1 Choose your globe diameter:**

**2 Choose the colour of your globe:**

**3 Choose installation:**

**on pole:**

Choose the pole length: 0.5m / 1m / 1.5m / 2m / 2.4 m

If you want to install 2 globes you must use the **SPH150** connector 200 / 250 / 300mm OR **SPH152** for globes 400mm

If you want to install 3 globes you must use the **SPH150** connector 200 / 250 / 300mm OR **SPH152** for globes 400mm

**on wall:**



**SPH150** for globes 200 / 250 / 300mm OR **SPH152** for globes 400mm

**on stand:**

Short base: **SPH140** OR Long base: **SPH142**



*Base dimensions:*



Codice Prodotto Item code Code Codigo Code	Dimensioni Dimensions / Dimensiones / Dimension / Größe				
	A	B	C	D	E
SPH200	200 mm	95 mm	91 mm	15 mm	2 mm
SPH205	200 mm	95 mm	91 mm	15 mm	2 mm
SPH208	200 mm	95 mm	91 mm	15 mm	2 mm
SPH250	250 mm	120 mm	112 mm	13 mm	3 mm
SPH255	250 mm	120 mm	112 mm	13 mm	3 mm
SPH258	250 mm	120 mm	112 mm	13 mm	3 mm
SPH300	300 mm	140 mm	130 mm	15 mm	3 mm
SPH305	300 mm	140 mm	130 mm	15 mm	3 mm
SPH308	300 mm	140 mm	130 mm	15 mm	3 mm
SPH307	300 mm	140 mm	130 mm	15 mm	3 mm
SPH400	400 mm	150 mm	140 mm	15 mm	5 mm
SPH405	400 mm	150 mm	140 mm	15 mm	5 mm
SPH408	400 mm	150 mm	140 mm	15 mm	5 mm

*Suitable for poles Ø 60mm*

