



PACKING	INNER	MASTER
	 pcs	 pcs
Polybag	6	6



TECHNICAL DATA

Power supply	220V AC
Power supply provided	NO
Lighting source	E27 BULB
Lighting power (W)	Max 60
Light beam	DIFFUSE
Lamp included	(NOT INCLUDED)
Attachment	E27
Beam angle (°)	360°
IP Protection	IP44
Insulation class	II
Color	OPAL
Country of origin	CHINA
Material	PLASTIC - PMMA
Warranty	2 YEARS
Width (mm)	250
Depth (mm)	250
Height (mm)	250
Net weight (Kg)	0.432

DESCRIPTION

IP44 outdoor sphere, diameter 250 mm. Compatible with LED bulbs up to 60W; E27 socket; bulb not included; 360° diffusion. Material: PMMA; PMMA is a polymer that is highly resistant to both impact and the passage of time. It connects directly to the mains voltage. Velamp is an Italian company that stands behind its products: beware of imitations.

LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	250
Pack width (mm)	250
Pack height (mm)	250
Packed product weight (kg)	0.442
Inner length (cm)	75
Inner height (cm)	52
Quantity in inner	6
Gross weight inner (kg)	2.590
ITF INNER	18003910106298
Quantity in master	6

LOGISTICS DATA

How many pieces on 80x120 pallet (pz)	72
INTRASTAT Code	94051140
DEEE	0.06
ECOLOGIC SCALES 2025	MLUMI020000
Country of origin	CHINA



Base dimensions:



Suitable for poles ø 60mm



1 Choose your globe diameter: ø 200 mm, ø 250 mm, ø 300 mm, ø 400 mm

2 Choose the colour of your globe: transparent, white, frosted white, smoked

3 Choose installation:



on pole: choose the pole length: 0.5m / 1m / 1.5m / 2m / 2.4 m

If you want to install 2 globes: you must use the SPH182 connector 200 / 250 / 300mm OR SPH182 for globes 400mm

If you want to install 3 globes: you must use the SPH183 connector 200 / 250 / 300mm OR SPH182 for globes 400mm

on wall: SPH150 for globes 200 / 250 / 300mm OR SPH152 for globes 400mm

on stand: Short base: SPH140 OR Long base: SPH142



Codice Prodotto Item code Code Codigo Code	Dimensioni				
	Dimensions / Dimensiones / Dimensions / Größe				
	A	B	C	D	E
SPH200	200 mm	95 mm	91 mm	15 mm	2 mm
SPH205	200 mm	95 mm	91 mm	15 mm	2 mm
SPH208	200 mm	95 mm	91 mm	15 mm	2 mm
SPH250	250 mm	120 mm	112 mm	13 mm	3 mm
SPH255	250 mm	120 mm	112 mm	13 mm	3 mm
SPH258	250 mm	120 mm	112 mm	13 mm	3 mm
SPH300	300 mm	140 mm	130 mm	15 mm	3 mm
SPH305	300 mm	140 mm	130 mm	15 mm	3 mm
SPH308	300 mm	140 mm	130 mm	15 mm	3 mm
SPH307	300 mm	140 mm	130 mm	15 mm	3 mm
SPH400	400 mm	150 mm	140 mm	15 mm	5 mm
SPH405	400 mm	150 mm	140 mm	15 mm	5 mm
SPH408	400 mm	150 mm	140 mm	15 mm	5 mm