






PACKING 	INNER  pcs	MASTER  pcs
Display 20 pces	20	40



TECHNICAL DATA

Power supply	SOLAR
Power supply provided	YES
Type of power supply provided	SOLAR PANEL
How many batteries are used	1
Battery type	AAA
Stack technology	NI-MH
Rated voltage (V)	1,2
Battery capacity (mAh)	100
Batteries provided	(INCLUDED)
Power battery (Wh)	0.12
Battery class	9
Battery/battery weight (kg)	0.005
Maximum autonomy (h)	8
Lighting source	STANDARD LED
Lumen	2
Light beam	DIFFUSE
Switch	YES
Sold in display	20 PCES
Country of origin	CHINA
Material	PLASTIC - ABS
Standards	UN3496
Warranty	2 YEARS
Width (mm)	55
Depth (mm)	55
Height (mm)	260
Net weight (Kg)	0.072

DESCRIPTION

No installation required, completely wireless, assembled and installed in less than a second; turn on the solar light: it will automatically turn on at night and turn off at dawn. Economical: Uses the sun's energy to recharge during the day, saving you electricity and protecting the environment. Solar-powered lights will stay on for up to 8 hours (on a full charge), and sometimes even longer using the latest LED technology. Compact and elegant design; perfect for the terrace, balcony, garden, or planter. Rugged: Designed to withstand rain, snow and sun; containing quality LEDs with a 20,000-hour lifespan. Equipped with a 1.2V 100mAh AAA Ni-MH battery.

LOGISTICS DATA

Packing type	Display 20 pces
--------------	-----------------

LOGISTICS DATA

Pack length (mm)	270
Pack width (mm)	60
Pack height (mm)	60
Packed product weight (kg)	0.071
Inner width (cm)	60
Inner length (cm)	28
Inner height (cm)	30
Quantity in inner	20
Gross weight inner (kg)	1.430
ITF INNER	18003910001302
Master length (cm)	33
Master width (cm)	60
Master height (cm)	23
Quantity in master	40
Master gross weight (kg)	2.860
ITF MASTER	28003910001309
How many pieces on 80x120 pallet (pz)	720
INTRASTAT Code	94055000
DEEE	0.02
ECOLOGIC SCALES 2025	MLUMI010000
Country of origin	CHINA

