



PACKING	INNER	MASTER
/	pcs	pcs
Colour Box	6	24



TECHNICAL DATA

Power supply	RECHARGEABLE BATTERIES
Power supply provided	YES
Type of power supply provided	AC/DC ADAPTOR
How many batteries are used	1
Battery type	21700
Stack technology	LITHIUM-ION
Rated voltage (V)	3,7
Battery capacity (mAh)	4000
Batteries provided	(INCLUDED)
Power battery (Wh)	14.8
Battery class	9
Battery/battery weight (kg)	0.072
Charging time (h)	6
Maximum autonomy (h)	11
Lighting source	HIGH POWER LED
Lighting power (W)	20
Lumen	2000
Scope (m)	220
Light beam	FOCUS
LED lifespan (hours)	30.000
Switch	YES
Functions	STROBE
IP Protection	IPX4
Insulation class	III
Dimmability	DIMMABLE
Color	BLACK
Country of origin	CHINA
Material	ALUMINIUM
Standards	UN3481
Warranty	2 YEARS
Width (mm)	50
Depth (mm)	42
Height (mm)	140
Net weight (Kg)	0.292

DESCRIPTION

Anti-blackout: turns on automatically in the event of a power outage. Perfect for homes, garages, utility rooms, and businesses...it's always ready to go. Powerful: equipped with 20W high power LED, it develops 2000 lumens of power (4 steps: 40% light, 15% light, 3% light, 100% turbo, strobe). Rechargeable: up to 11 hours of battery life. Made of ultra-lightweight and durable A-grade aluminum. IPX4 waterproof, can be used both indoors and outdoors. Ultra-powerful focused beam. STURM comes with its convenient wall charging base, 4Ah Li-Ion battery, magnetic USB charging cable, charger.

LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	60
Pack width (mm)	150
Pack height (mm)	285
Packed product weight (kg)	0.425
Inner width (cm)	43
Inner length (cm)	54
Inner height (cm)	17
Quantity in inner	6
Gross weight inner (kg)	2.700
ITF INNER	18003910108605
Master length (cm)	55
Master width (cm)	43
Master height (cm)	35
Quantity in master	24
Master gross weight (kg)	12.000
ITF MASTER	28003910108602
How many pieces on 80x120 pallet (pz)	288
INTRASTAT Code	85131000
DEEE	0.06
ECOLOGIC SCALES 2025	MLUMI020000
Country of origin	CHINA

