



PACKING	INNER	MASTER
/	pcs	pcs
Blister	6	36



TECHNICAL DATA

Power supply	RECHARGEABLE BATTERIES
Power supply provided	NO
How many batteries are used	1
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3,7
Battery capacity (mAh)	2200
Batteries provided	(INCLUDED)
Power battery (Wh)	8.14
Battery class	9
Battery/battery weight (kg)	0.048
Charging time (h)	4
Maximum autonomy (h)	5
Lighting source	HIGH POWER LED
Light technology	OSRAM® P9
Lighting power (W)	10
Lumen	900
Scope (m)	120
Light beam	ZOOM
LED lifespan (hours)	50.000
Beam angle (°)	Adjustable 25°/60° (zoom)
Switch	YES
IP Protection	IPX4
Insulation class	III
Color	BLACK
Country of origin	CHINA
Material	PLASTIC + ALUMINIUM
Standards	UN3481
Warranty	2 YEARS
Width (mm)	170
Depth (mm)	170
Height (mm)	50
Net weight (Kg)	0.174

DESCRIPTION

7 Light Modes: 5 white light modes: 100% brightness (Turbo), 40% brightness, 15% brightness, 2% brightness, Strobe; 2 red light modes: solid red light and flashing red light. Controls can be made via the convenient rubber switch or via the hands-free sensor that allows you to turn the headlight on and off. Ultra-bright: Equipped with the latest-generation LEDs (high-power OSRAM P9 10W 6000K for a whopping 900 lumens in Turbo mode), the light illuminates up to 120 meters. It features a zoom lens to allow you to choose between focused (distance) or diffused (for use as a floodlight). It weighs only 136g and the elastic headband is easily adjustable: perfect for those who need comfortable lighting. Hands-Free Control: You can activate the hands-free switch so you can turn the lamp on and off simply by waving your hand in front of the LED. Convenient when wearing gloves or when your hands are full. IPX4 waterproof: splash-proof. The light still functions normally when it rains. Ideal for all outdoor activities such as running, camping, cycling, night fishing, car repairs, and more. It's also adjustable so you can direct the beam as needed. A steady or flashing red taillight is perfect for signaling your presence. Rechargeable: Built-in 2200mAh lithium battery. Recharges via the included USB cable, no need to buy batteries. Battery life of over 5 hours.

LOGISTICS DATA

Packing type	Blister
Blister pack format	F5
Pack length (mm)	170
Pack width (mm)	335
Pack height (mm)	80
Packed product weight (kg)	0.252
Inner width (cm)	36
Inner length (cm)	34
Inner height (cm)	18
Quantity in inner	6
Gross weight inner (kg)	1.700
ITF INNER	18003910107660
Master length (cm)	68
Master width (cm)	36
Master height (cm)	56
Quantity in master	36
Master gross weight (kg)	11.300
ITF MASTER	28003910107667
How many pieces on 80x120 pallet (pz)	324
INTRASTAT Code	85131000
DEEE	0.02
ECOLOGIC SCALES 2025	MLUMI010000
Country of origin	CHINA

