



PACKING	INNER	MASTER
	pcs	pcs
White box	1	20



## TECHNICAL DATA

Name	ST350
Power supply	12 / 24V
Power supply provided	NO
Lighting source	SMD LED
Lighting power (W)	27
Lumen	1800
Light colour	6000K
Scope (m)	40
Light beam	FOCUS
LED lifespan (hours)	25.000
Power cord length (cm)	30
Switch	NO
Functions	ON / OFF
Tilting head	YES
IP Protection	IP67
Dimmability	NOT DIMMABLE
Color	BLACK
Country of origin	CHINA
Material	ALUMINIUM
Standards	E9 , ECE R10
Warranty	2 YEARS
Width (mm)	130
Depth (mm)	105
Height (mm)	50
Net weight (Kg)	0.410

## DESCRIPTION

Power: STAK 12/24V work lights use the most advanced LED technology, emitting a cool white 6000K light, providing up to 1800LM of light. The maximum illumination distance is 120m. They not only illuminate the road but also illuminate the surrounding area, providing sufficient brightness for safe driving in cloudy or dark conditions, significantly reducing the incidence of traffic accidents. Perfect Heat Dissipation: The housing is made of die-cast aluminum alloy, which is durable and wear-resistant while effectively dissipating heat, protecting the spotlight from overheating during operation and effectively extending the lamp's lifespan to over 50,000 hours. Shock-resistant. High protection level: IP67, offering extremely high resistance to water and dust. The operating temperature range is -20°C to +60°C, capable of withstanding various harsh environments, such as snow, fog, rain, etc. Easy to install: LED car headlights can be mounted on the hood, front bumper, or grille, making installation quick and easy. The multi-angle adjustment design allows you to adjust the lighting angles to suit your needs. Wide Application: Suitable for a variety of vehicles, including off-road vehicles, SUVs, ATVs, UTVs, trucks, pickups, boats, Jeeps, forklifts, etc.; can also be used as home lighting for patios, gardens, garages, interiors, or even construction sites. E9 and ECE R10 certified.

## LOGISTICS DATA

Packing type	White box
Pack length (mm)	70
Pack width (mm)	130
Pack height (mm)	150
Packed product weight (kg)	0.460
Inner length (cm)	36
Inner height (cm)	32
Quantity in inner	1
Gross weight inner (kg)	9.700
ITF INNER	18003910114651
Quantity in master	20
How many pieces on 80x120 pallet (pz)	480
INTRASTAT Code	94054210
DEEE	0.06
ECOLOGIC SCALES 2025	MLUMI020000
Country of origin	CHINA



### ADVANCED HEAT DISSIPATION

