



| PACKING | INNER | MASTER |
|-----------|-------|--------|
| / | pcs | pcs |
| White box | 1 | 20 |



TECHNICAL DATA

| | |
|-------------------------------|-----------------------------|
| Name | ST382 |
| Power supply | 12 / 24V |
| Power supply provided | YES |
| Type of power supply provided | POWER CABLE |
| Lighting source | SMD LED |
| Lighting power (W) | 20 |
| Light beam | DIFFUSE |
| Functions | SINGLE FLASH / DOUBLE FLASH |
| Tilting head | NO |
| IP Protection | IP65 |
| Dimmability | NOT DIMMABLE |
| Color | ORANGE |
| Country of origin | CHINA |
| Material | PLASTIC + METAL |
| Standards | ECE R10 , ECE R65 |
| Warranty | 2 YEARS |
| Width (mm) | 130 |
| Depth (mm) | 130 |
| Height (mm) | 135 |
| Net weight (Kg) | 0.560 |

DESCRIPTION

12/24V Strobe Light: The LED flasher emits a strong 360-degree light, with 2 different flashing modes and 45 high-intensity LEDs. It is E-Mark approved and has passed ECE R10 / ECE R65 regulations. Product compliance and quality are guaranteed. **High Quality:** The base is made of durable ABS material with a clear and bright polycarbonate diffuser. The high-intensity LEDs ensure a lifespan of up to 30,000 hours. **Safe to Use:** IP65 waterproof rating makes it ideal for foggy, rainy, or snowy conditions, perfect for emergency situations. The LED strobe light ensures better visibility in all weather conditions, making it suitable for emergencies. **Easy to Install:** The LED warning light can be quickly connected to agricultural/technical vehicles such as forklifts, construction vehicles, tractors, agricultural machinery, etc. via the included cigarette lighter plug. Modern design with high-performance light diffusion.

LOGISTICS DATA

| | |
|----------------------------|-----------|
| Packing type | White box |
| Pack length (mm) | 150 |
| Pack width (mm) | 150 |
| Pack height (mm) | 170 |
| Packed product weight (kg) | 0.660 |
| Inner length (cm) | 75 |

LOGISTICS DATA

| | |
|---------------------------------------|----------------|
| Inner height (cm) | 35 |
| Quantity in inner | 1 |
| Gross weight inner (kg) | 14.000 |
| ITF INNER | 18003910114736 |
| Quantity in master | 20 |
| ITF MASTER | 28003910114733 |
| How many pieces on 80x120 pallet (pz) | 240 |
| INTRASTAT Code | 85131000 |
| DEEE | 0.11 |
| ECOLOGIC SCALES 2025 | MLUMI030000 |
| Country of origin | CHINA |



SUPER STRONG MAGNET BASE

