

DATA SHEET

MINOS: 2 LED Spotlights on Tripod, 2 x 100W, 17,000 Lumen 3m cable, IP65: Black

17.000 LUMEN

2X 100W

3M CABLE

IP65

WORKLIGHT

2 METERS

IP65

6500K

intertek

CLASSE I

E

PACKING
Brown box

INNER
2 pcs

MASTER
2 pcs

Barcode: 8 003910 113237

QR Code

Smartphone icon

Product box image

TECHNICAL DATA

Power supply	220V AC
Power supply provided	YES
Type of power supply provided	POWER CABLE
Lighting source	2835 SMD LED
Lighting power (W)	200
Electricity consumption (W)	200
Lumen	17000
IRC	>80
Light beam	DIFFUSE
Beam angle (°)	110°
LED lifespan (hours)	25000
Material	ALUMINIUM
Power cord length (cm)	300
Cable section	H05RN-F3G1.0mm2
Color	BLACK
Switch	NO
IP Protection	IP65
Insulation class	I
Light colour	6500K
Dimmability	NOT DIMMABLE
Product container (energy class)	E
Plug	Type E / F - 2 pin (EU Hybrid)
Code eprel	679099
Container product (registered form code)	TL67100
Link db eprel	http://eprel.ec.europa.eu/qr/679099
Warranty	2 YEARS
Width (mm)	1110
Depth (mm)	100
Height (mm)	130
Net weight (Kg)	5.840

DESCRIPTION

2 LED spotlights on tripod. 2x100W, 2x8500lm, 6500k light. The aluminum structure is very light but also very resistant and robust. Easy to move; rises up to 200 cm. 3 meter cable h05rn-f 3g1 mm² with shuko plug. Sealing: IP65; perfect for outdoor use. Suitable for: barbecue, photo shoot, party lighting, construction site lighting, garage lighting, etc. It can also be used as a work lamp: just detach the horizontal bar to be able to use the spotlights without the tripod.

LOGISTIC INFORMATION

Packing type	Brown box
Pack length (mm)	200
Pack width (mm)	1120
Pack height (mm)	220
Inner length (cm)	113
Inner height (cm)	42
Quantity in inner	2
Gross weight inner (kg)	14.650
ITF INNER	18003910113234
Quantity in master	2
How many pieces on 80x120 pallet (pz)	18
INTRASTAT Code	94054110

