



PACKING	INNER	MASTER
	 pcs	 pcs
Polybag	25	500



TECHNICAL DATA

Power supply	220V AC
Power supply provided	NO
Lamp included	(NOT INCLUDED)
Attachment	G13 LAMP
Country of origin	CHINA
Material	PLASTIC - OTHER
Warranty	2 YEARS
Width (mm)	39
Depth (mm)	21
Height (mm)	21
Net weight (Kg)	0.010

DESCRIPTION

These fixtures can be used to power T8 LED tubes with conventional ballasts. Therefore, they are not compatible with fixtures with electronic transformers. Their polycarbonate casing provides high impact resistance. Quick and easy replacement. For use with LED tubes only. Replaces traditional starters. High ignition resistance, up to 10,000 ignition cycles. Reduced power consumption during start-up.

LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	100
Pack width (mm)	140
Pack height (mm)	300
Packed product weight (kg)	0.011
Inner width (cm)	38
Inner length (cm)	40
Inner height (cm)	7
Quantity in inner	25
Gross weight inner (kg)	0.270
ITF INNER	18003910110950
Master length (cm)	54
Master width (cm)	38
Master height (cm)	45
Quantity in master	500
Master gross weight (kg)	5.300
ITF MASTER	28003910110957
How many pieces on 80x120 pallet (pz)	4000

LOGISTICS DATA

INTRASTAT Code	85139000
DEEE	0.02
ECOLOGIC SCALES 2025	MLUMI010000
Country of origin	CHINA



		MIN (mm)	MAX (mm)
1	A	12.5	12.9
2	B	---	21.5
3	D	4.70	5.0
4	E	2.8	3.2
5	H	33.0	36.0
6	L	---	4.3
7	S	1.7	---
8	T	1.9	2.2
9	V	2.7	---
10	X	4.2	---

