



PACKING	INNER	MASTER
	pcs	pcs
Colour box	1	1



TECHNICAL DATA

Name	STH2210
Power supply	220V AC
Power supply provided	YES
Type of power supply provided	POWER CABLE
Electricity consumption (W)	2000
Power cord length (cm)	140
Cable section	H05RN-F 3G1.0mm2
Switch	YES
Functions	1) FAN ONLY 2) HIGH POWER
Absorption (A)	8.3-9.1
Plug	Type E / F - 2 pin (EU Hybrid)
Power adjustment (W)	35W/2000W
Fuse required	YES
Auto reset thermostat	YES
Volume of hot air generated (m³h)	242
Heating area (m²)	20
Operating temperature (°C)	-15°C / +25°C
Tilting head	YES
IP Protection	IP24
Insulation class	I
Fuse	10A
Color	BLACK
Material	STEEL
Handbook	https://www.velamp.com/manuali/STH2210_manuale.pdf
Warranty	2 YEARS
Width (mm)	240
Depth (mm)	196
Height (mm)	294
Net weight (Kg)	2.780

DESCRIPTION


2kW space heater with a steel heating element and integrated fan for fast, even, and quiet heating. IP24 protection: resistant to splashes of water and dust. It offers multiple selectable modes and automatic overheating protection. The compact and portable design with an integrated handle is perfect for technical environments, garages, DIY projects, or construction sites. 2000W POWER – COMPACT VERSION – Hot air generator ideal for heating rooms up to 20–25 m². Perfect for garages, workshops, and small construction sites. STEEL HEATING ELEMENT – Greater resistance to dust and impacts, suitable even in harsh environments. Resistant to plaster or gypsum residue. ALWAYS ACTIVE SAFETY – Equipped with an automatic thermostat and overheating protection, the device works in complete safety even in work or unattended environments. ROBUST AND SAFE STRUCTURE – Shockproof metal body, IP24 protection against splashes and dust, safety thermostat with auto-reset.

LOGISTICS DATA

Packing type	Colour box
Pack length (mm)	240
Pack width (mm)	280
Pack height (mm)	340
Packed product weight (kg)	3.740
Quantity in inner	1
Quantity in master	1
How many pieces on 80x120 pallet (pz)	65
INTRASTAT Code	85162991
DEEE	0.87



20 m²
2000W
STAINLESS STEEL TECHNOLOGY
RUST PROOF



SCHUKO
220/240V
2000W

1,4m



FUNZIONI FUNCTIONS

