



PACKING	INNER	MASTER
/	pcs	pcs
Shrink	12	48



TECHNICAL DATA

Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
Lighting source	2835 SMD LED
Lighting power (W)	6
Electricity consumption (W)	6
Lumen	450
Light beam	DIFFUSE
Material	PLASTIC - OTHER
IP Protection	IP44
Insulation class	II
Light colour	4000K
Dimmability	NOT DIMMABLE
Product container (energy class)	F
Code eprel	1453897
Container product (registered form code)	AL14-5730-114*51*1.2-14C1B cambiato il 4/08/2022 AL14-2835-114x51x1.2-14C1B-AC (sul prodotto compare: AL14-2835-114x51x1.2-14C1B-AC-V1.0
Link db eprel	http://eprel.ec.europa.eu/qr/1453897
Warranty	2 YEARS
Width (mm)	169
Depth (mm)	115
Height (mm)	76
Net weight (Kg)	0.190

DESCRIPTION

Elegant design: the 450 lumen oval lamp offers a contemporary and simple design; it is easy to mount both on the wall and on the ceiling; the LED light makes the lighting uniform and soft; IP44: suitable for both indoor and outdoor. 4000K natural white light: neither too warm nor too cold. Energy saving: it is possible to save up to 90% of electricity because the wall light is equipped with 6W LEDs to replace a traditional 40W bulb. Waterproof: the lamp is designed for both indoor and outdoor use thanks to the high IP44 protection rating, water and dust proof; ideal for bathroom, balcony, living room, corridor, workshop, garage, garden etc. Special waterproof connector that will allow you to connect the lamp in a simple, fast and long-lasting way. Quality and reliability: the quality of the oval ceiling light is proven by TUV certificates; the lamp is not dimmable and has a lifespan of 30 000 hours; Velamp has been an Italian company since 1906: beware of imitations.

LOGISTIC INFORMATION

Packing type	Shrink
Pack length (mm)	80
Pack width (mm)	120
Pack height (mm)	170
Packed product weight (kg)	14.440
Inner width (cm)	44
Inner length (cm)	21
Inner height (cm)	23
Quantity in inner	12
Gross weight inner (kg)	3.610
ITF INNER	18003910003818
Master length (cm)	35
Master width (cm)	44
Master height (cm)	47
Quantity in master	48
Master gross weight (kg)	14.440
ITF MASTER	28003910003815
How many pieces on 80x120 pallet (pz)	720
INTRASTAT Code	94051140

