



PACKING	INNER	MASTER
/	pcs	pcs
Colour Box	6	24



TECHNICAL DATA

Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
Lighting source	2835 SMD LED
Lighting power (W)	14
Electricity consumption (W)	14
Lumen	1000
Light beam	DIFFUSE
Beam angle (°)	120°
LED lifespan (hours)	25000
Material	PLASTIC - PC
IP Protection	IP54
Insulation class	II
Light colour	4000K
Dimmability	NOT DIMMABLE
Product container (energy class)	E
Code eprel	1203258
Container product (registered form code)	HJL2080-14W
Link db eprel	http://eprel.ec.europa.eu/qr/1203258
Warranty	2 YEARS
Width (mm)	212
Depth (mm)	119
Height (mm)	61
Net weight (Kg)	0.350

DESCRIPTION

Elegant design: the 14W 4000K 1000lm oval lamp offers a contemporary and simple design; it is easy to mount both on the wall and on the ceiling; the LED light makes the lighting uniform and soft; the Package includes a second cover: you can choose between a black or white lamp. Natural light 4000K: functional, not too hot or too cold. Energy saving: it is possible to save up to 90% of electricity because the wall light is equipped with a 14W LED instead of a traditional 90w bulb. Waterproof: the lamp is designed for both indoor and outdoor use thanks to the high IP54 protection rating, water and dust proof; ideal for bathroom, balcony, living room, corridor, workshop, garage, garden etc. Quality and reliability: the quality of the round ceiling light is proven by certifying you TUV-GS, ca and RoHs; the lamp is not dimmable and has a lifespan of 25 000 hours. Dimensions: Length: 212mm x 119mm high x 61mm deep.

LOGISTIC INFORMATION

Packing type	Colour Box
Pack length (mm)	220
Pack width (mm)	130
Pack height (mm)	100
Packed product weight (kg)	10.580
Inner width (cm)	56
Inner length (cm)	14
Inner height (cm)	24
Quantity in inner	6
Gross weight inner (kg)	2.640
ITF INNER	18003910102634
Master length (cm)	56
Master width (cm)	56
Master height (cm)	26
Quantity in master	24
Master gross weight (kg)	10.580
ITF MASTER	28003910102631
How many pieces on 80x120 pallet (pz)	336
INTRASTAT Code	94051140
DEEE	0.06

